

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1283	707/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:12
L2	401	1 and (updat\$3 or chang\$3 or modif\$8 or delet\$3) same (copy\$3 or writ\$3) same (temporar\$3 or storag\$3 or location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:13
L3	2	2 and ((log adj sequence adj number and (timestamp\$3 or time-stamp\$3 or stamp\$3 or date-time)) and compar\$3 same (modif\$3 or chang\$3 or updat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:14
L4	2	707/102.ccls. and ((log adj sequence adj number and (timestamp\$3 or time-stamp\$3 or stamp\$3 or date-time)) and compar\$3 same (modif\$3 or chang\$3 or updat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:15
L5	0	(record\$1 or tuple\$1 or row\$1) same when same (modif\$3 or chang\$3 or updat\$3) and ((log adj sequence adj number and (timestamp\$3 or time-stamp\$3 or stamp\$3 or date-time)) and compar\$3 same (modif\$3 or chang\$3 or updat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:15
L6	0	(record\$1 or tuple\$1 or row\$1) same when same (modif\$3 or chang\$3 or updat\$3) and ((timestamp\$3 or time-stamp\$3 or stamp\$3 or date-time)) and compar\$3 same (modif\$3 or chang\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:16
L7	30	((database or data near base) same (id\$1 or identifier\$1 or identification\$1 or code\$1) same (pag\$3 or block\$1 or bucket\$1 or segment\$1) same (record\$1 or row\$1) same (modif\$3 or updat\$3 or chang\$3)) and (select\$3) same (cop\$3 or transfer\$3) same (second\$2 or another) same (storage\$1 or device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:17
S1	2	("4536837").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/04 18:19

S2	1838	(database or data near base) and (id\$1 or identifier\$1 or identification\$1 or code\$1) same (pag\$3 or block\$1 or bucket\$1 or segment\$1) same (record\$1 or row\$1) same (modif\$3 or updat\$3 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:10
S3	780	(database or data near base) same (id\$1 or identifier\$1 or identification\$1 or code\$1) same (pag\$3 or block\$1 or bucket\$1 or segment\$1) same (record\$1 or row\$1) same (modif\$3 or updat\$3 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:10
S4	4	((database or data near base) same (id\$1 or identifier\$1 or identification\$1 or code\$1) same (pag\$3 or block\$1 or bucket\$1 or segment\$1) same (record\$1 or row\$1) same (modif\$3 or updat\$3 or chang\$3)) and (select\$3) same (cop\$3 or transfer\$3) same (second\$2 or another) near (storage\$1 or device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:11
S5	20	((database or data near base) same (id\$1 or identifier\$1 or identification\$1 or code\$1) same (pag\$3 or block\$1 or bucket\$1 or segment\$1) same (record\$1 or row\$1) same (modif\$3 or updat\$3 or chang\$3)) and (select\$3) same (cop\$3 or transfer\$3) same (second\$2 or another) same (storage\$1 or device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:12
S6	0	("58930097").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:12
S7	2	("5893097").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:12
S8	2	("6591269").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:13

S9	2	("5546579").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:13
S10	2	("5574902").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:13
S11	2	("5440727").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:13
S12	0	("5440727.uref.").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:14
S13	13876	(707/1-10,102,103,104.1.ccls. and(copy\$3ortransfer\$3)same(select\$ 3)same(storage\$1)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:15
S14	0	707/1-10,102,103,104.1.ccls and (copy\$3 or transfer\$3 )same (select\$3) same (storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:15
S15	0	707/1-10,102,103,104.1.ccls and (copy\$3 or transfer\$3) same (select\$3) same (storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:16
S16	0	707/1-10,102,103,104.1, "201-204. ccls" and (copy\$3 or transfer\$3 or backup or archiv\$3) same (select\$3) same (storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:17
S17	0	707/1-10,102,103,104.1, 201-204.ccls. and (copy\$3 or transfer\$3 or backup or archiv\$3) same (select\$3) same (storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:16

S18	0	707/1-10,102,103,104.1, 201-204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:16
S19	15319	707/1-10,102,103,104.1,201-204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:17
S20	795	707/1-10,102,103,104.1,201-204.ccls. and (copy\$3 or transfer\$3 or backup or archiv\$3) same (select\$3) same (storage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 18:17
S21	128	(707/1-10,102,103,104.1,201-204.ccls. and (copy\$3 or transfer\$3 or backup or archiv\$3) same (select\$3) same (storage\$1)) and compar\$3 same (id\$1 or identif\$4) same (stor\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 19:28
S22	2	("5893097").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 19:28
S23	2	("5596745").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 19:29
S24	2	("5592664").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/14 19:29
S25	77	log adj sequence adj number same (page\$1 or block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 18:20
S26	71	(log adj sequence adj number same (page\$1 or block\$1)) and (timestamp\$3 or time-stamp\$3 or stamp\$3 or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 18:21

S27	18	((log adj sequence adj number same (page\$1 or block\$1)) and (timestamp\$3 or time-stamp\$3 or stamp\$3 or time)) and compar\$3 same (number\$1 or id\$1 or code\$1) same (modif\$3 or chang\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 11:13
S28	5	((log adj sequence adj number same (page\$1 or block\$1)) and (timestamp\$3 or time-stamp\$3 or stamp\$3 or date-time)) and compar\$3 same (number\$1 or id\$1 or code\$1) same (modif\$3 or chang\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 11:26
S29	5	707/203.ccls. and (log adj sequence adj number) and (timestamp\$3 or time-stamp\$3 or stamp\$3 or date-time) and compar\$3 same (modif\$3 or chang\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 11:34
S30	19	(log adj sequence adj number) and (timestamp\$3 or time-stamp\$3 or stamp\$3 or date-time) and compar\$3 same (modif\$3 or chang\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/05 11:34
S31	10135	707/3,5,7,10,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 11:12
S32	287	70/203,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/14 11:12
S33	60	(database\$1 or data near base\$1) same (partition\$3 or fragment\$7) and (quer\$3 or sql or select) same (ancillar\$3 or contain\$3) and (shar\$3) same (result\$1 or hit\$1 or output) same (prior or previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:22
S34	14	(database\$1 or data near base\$1) same (partition\$3 or fragment\$7) and (ancillar\$3 or (family near function\$1) or (family near relation\$1)) same (shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:25
S35	8	(database\$1 or data near base\$1) same (partition\$3 or fragment\$7) and (ancillar\$3 near operat\$3 or (family near function\$1) or (family near relation\$1)) same (shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:27

S36	9	(ancillar\$3 near operat\$3 or (family near function\$1) or (family near relation\$1)) and (shar\$3) same (result\$1 or output) same (prior or previous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:29
S37	11106	707/2-6,102,103R,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:30
S38	517	707/2-6,102,103R,104.1.ccls. and shar\$3 same (object\$1 or data) same (sql or select near statement or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:31
S39	517	707/2-6,102,103R,104.1.ccls. and shar\$3 same (object\$1 or data) same (sql or (select near statement) or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:42
S40	133	(707/2-6,102,103R,104.1.ccls. and shar\$3 same (object\$1 or data) same (sql or (select near statement) or quer\$3)) and (partition\$3 or fragment\$6) same (database\$1 or data near base\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:42
S41	623	707/2-6,102,103R,104.1.ccls. and (shar\$3 or reus\$3 or re-us\$3) same (object\$1 or data) same (sql or (select near statement) or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:42
S42	151	(707/2-6,102,103R,104.1.ccls. and (shar\$3 or reus\$3 or re-us\$3) same (object\$1 or data) same (sql or (select near statement) or quer\$3)) and (partition\$3 or fragment\$6) same (database\$1 or data near base\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:52
S43	2	("6421666").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 12:53
S13 7	2805	(database\$1 or data near base\$1 or datastore\$1) and (copy\$3 or transfer\$3 or backup or archiv\$3) same (select\$3) same (storage\$1) and (id\$1 or identif\$8 or (unique near (id\$1 or number\$1 or no\$1))) same (page\$1 or block\$1 or bucket\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 11:38

S13 8	160	S137 and 707/8,101,102,104.1,203. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:43
S13 9	86	S138 and (updat\$3 or chang\$3 or modif\$8 or delet\$3) same (copy\$3 or writ\$3) same (temporar\$3 or storag\$3 or location\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 12:18
S14 0	197	cach\$3 near pag\$3 and (identifier\$1 or id\$1) with stamp\$1 or date-time near stamp\$1 or date-stamp\$1 and (select\$3 or choos\$3 or identif\$8) with (record\$1 or tuple\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:43
S14 1	2	("5764903").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:54
S14 2	2	("5574902").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:55
S14 3	2	("6591269").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 14:55
S14 4	30	((database or data near base) same (id\$1 or identifier\$1 or identification\$1 or code\$1) same (pag\$3 or block\$1 or bucket\$1 or segment\$1) same (record\$1 or row\$1) same (modif\$3 or updat\$3 or chang\$3)) and (select\$3) same (cop\$3 or transfer\$3) same (second\$2 or another) same (storage\$1 or device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 08:33
S14 5	78	((database or data near base) and (pag\$3 or block\$1) same (id\$1 or identifier\$1 or identification\$1 or code\$1) and (compar\$3 or determin\$3) same (record\$1 or row\$1) same (modif\$3 or updat\$3 or chang\$3)) and (log near number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 08:35